

# CONSORT-EHEALTH (V 1.6.1) - Submission/Publication Form

The CONSORT-EHEALTH checklist is intended for authors of randomized trials evaluating web-based and Internet-based applications/interventions, including mobile interventions, electronic games (incl multiplayer games), social media, certain telehealth applications, and other interactive and/or networked electronic applications. Some of the items (e.g. all subitems under item 5 - description of the intervention) may also be applicable for other study designs.

The goal of the CONSORT EHEALTH checklist and guideline is to be

- a) a guide for reporting for authors of RCTs,
- b) to form a basis for appraisal of an ehealth trial (in terms of validity)

CONSORT-EHEALTH items/subitems are MANDATORY reporting items for studies published in the Journal of Medical Internet Research and other journals / scientific societies endorsing the checklist.

Items numbered 1., 2., 3., 4a., 4b etc are original CONSORT or CONSORT-NPT (non-pharmacologic treatment) items.

Items with Roman numerals (i., ii, iii, iv etc.) are CONSORT-EHEALTH extensions/clarifications.

As the CONSORT-EHEALTH checklist is still considered in a formative stage, we would ask that you also RATE ON A SCALE OF 1-5 how important/useful you feel each item is FOR THE PURPOSE OF THE CHECKLIST and reporting guideline (optional).

Mandatory reporting items are marked with a red \*.

In the textboxes, either copy & paste the relevant sections from your manuscript into this form - please include any quotes from your manuscript in QUOTATION MARKS, or answer directly by providing additional information not in the manuscript, or elaborating on why the item was not relevant for this study.

YOUR ANSWERS WILL BE PUBLISHED AS A SUPPLEMENTARY FILE TO YOUR PUBLICATION IN JMIR AND ARE CONSIDERED PART OF YOUR PUBLICATION (IF ACCEPTED).

Please fill in these questions diligently. Information will not be copyedited, so please use proper spelling and grammar, use correct capitalization, and avoid abbreviations.

DO NOT FORGET TO SAVE AS PDF \_AND\_ CLICK THE SUBMIT BUTTON SO YOUR ANSWERS ARE IN OUR DATABASE !!!

Citation Suggestion (if you append the pdf as Appendix we suggest to cite this paper in the caption):

Eysenbach G, CONSORT-EHEALTH Group

CONSORT-EHEALTH: Improving and Standardizing Evaluation Reports of Web-based and Mobile Health Interventions

J Med Internet Res 2011;13(4):e126

URL: <http://www.jmir.org/2011/4/e126/>

doi: 10.2196/jmir.1923

PMID: 22209829

**\*Required****Your name \***

First Last

Guillaume Fontaine

**Primary Affiliation (short), City, Country \***

University of Toronto, Toronto, Canada

Université de Montréal, Mo

**Your e-mail address \***[abc@gmail.com](mailto:abc@gmail.com)

guillaume.fontaine@umontl

**Title of your manuscript \***

Provide the (draft) title of your manuscript.

Evaluation of a Web-Based E-Learning Platform for Brief Motivational Interviewing by Nurses in Cardiovascular Care: A Pilot Study

**Article Preparation Status/Stage \***

At which stage in your article preparation are you currently (at the time you fill in this form)

- ☐ not submitted yet - in early draft status
- ☒ not submitted yet - in late draft status, just before submission
- ☐ submitted to a journal but not reviewed yet
- ☐ submitted to a journal and after receiving initial reviewer comments
- ☐ submitted to a journal and accepted, but not published yet
- ☐ published
- ☐ Other:

**Journal \***

If you already know where you will submit this paper (or if it is already submitted), please provide the journal name (if it is not JMIR, provide the journal name under "other")

- ☐ not submitted yet / unclear where I will submit this
- ☒ Journal of Medical Internet Research (JMIR)

☐ Other:

### Manuscript tracking number \*

If this is a JMIR submission, please provide the manuscript tracking number under "other" (The ms tracking number can be found in the submission acknowledgement email, or when you login as author in JMIR. If the paper is already published in JMIR, then the ms tracking number is the four-digit number at the end of the DOI, to be found at the bottom of each published article in JMIR)

☒ no ms number (yet) / not (yet) submitted to / published in JMIR

☐ Other:

## TITLE AND ABSTRACT

### 1a) TITLE: Identification as a randomized trial in the title

#### 1a) Does your paper address CONSORT item 1a? \*

I.e does the title contain the phrase "Randomized Controlled Trial"? (if not, explain the reason under "other")

☒ yes

☐ Other:

#### 1a-i) Identify the mode of delivery in the title

Identify the mode of delivery. Preferably use "web-based" and/or "mobile" and/or "electronic game" in the title. Avoid ambiguous terms like "online", "virtual", "interactive". Use "Internet-based" only if intervention includes non-web-based Internet components (e.g. email), use "computer-based" or "electronic" only if offline products are used. Use "virtual" only in the context of "virtual reality" (3-D worlds). Use "online" only in the context of "online support groups". Complement or substitute product names with broader terms for the class of products (such as "mobile" or "smart phone" instead of "iphone"), especially if the application runs on different platforms.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☒ essential

#### Does your paper address subitem 1a-i? \*

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "Web-Based E-Learning Platform for Brief Motivational Interviewing".

**1a-ii) Non-web-based components or important co-interventions in title**

Mention non-web-based components or important co-interventions in title, if any (e.g., "with telephone support").

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential

**Does your paper address subitem 1a-ii?**

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable: All components of the intervention are purely web-based.

**1a-iii) Primary condition or target group in the title**

Mention primary condition or target group in the title, if any (e.g., "for children with Type I Diabetes")  
Example: A Web-based and Mobile Intervention with Telephone Support for Children with Type I Diabetes: Randomized Controlled Trial

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential

**Does your paper address subitem 1a-iii? \***

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "Nurses in Cardiovascular Care".

## 1b) ABSTRACT: Structured summary of trial design, methods, results, and conclusions

NPT extension: Description of experimental treatment, comparator, care providers, centers, and blinding status.

### 1b-i) Key features/functionalities/components of the intervention and comparator in the METHODS section of the ABSTRACT

Mention key features/functionalities/components of the intervention and comparator in the abstract. If possible, also mention theories and principles used for designing the site. Keep in mind the needs of systematic reviewers and indexers by including important synonyms. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential

### Does your paper address subitem 1b-i? \*

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "MOTIV@CŒUR is a web-based e-learning platform in brief MI consisting of two 30 minutes sessions covering 4 clinical situations based on role modeling videos of nurse-patient interactions. An introduction to brief MI is followed by role playing based on real life clinical situations during which a nurse practitioner evaluates patients' motivation to change, and intervenes according to the principles of brief MI. The clinical situations target smoking, medication adherence, physical activity and diet".

### 1b-ii) Level of human involvement in the METHODS section of the ABSTRACT

Clarify the level of human involvement in the abstract, e.g., use phrases like "fully automated" vs. "therapist/nurse/care provider/physician-assisted" (mention number and expertise of providers involved, if any). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential

**Does your paper address subitem 1b-ii?**

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "Nurses were asked to complete both training sessions online asynchronously within  $\leq 20$  days to assess the feasibility of the intervention".

**1b-iii) Open vs. closed, web-based (self-assessment) vs. face-to-face assessments in the METHODS section of the ABSTRACT**

Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic or a closed online user group (closed usergroup trial), and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment). Clearly say if outcomes were self-assessed through questionnaires (as common in web-based trials). Note: In traditional offline trials, an open trial (open-label trial) is a type of clinical trial in which both the researchers and participants know which treatment is being administered. To avoid confusion, use "blinded" or "unblinded" to indicated the level of blinding instead of "open", as "open" in web-based trials usually refers to "open access" (i.e. participants can self-enrol). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential

**Does your paper address subitem 1b-iii?**

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "Participants were recruited during individual face-to-face encounters at the research setting". And, "Data on acceptability and preliminary effects (perceived skills in brief MI and self-reported clinical use of conviction and confidence interventions) were self-assessed through online questionnaires at 30 days ( $\pm 5$  days) following the first session".

**1b-iv) RESULTS section in abstract must contain use data**

Report number of participants enrolled/assessed in each group, the use/uptake of the intervention (e.g., attrition/adherence metrics, use over time, number of logins etc.), in addition to primary/secondary outcomes. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☒ essential**Does your paper address subitem 1b-iv?**

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "We enrolled 27 women and 4 men (mean age  $37 \pm 9$ ) in March 2016. Twenty-four out of 31 participants (77%; 95% confidence interval = 63%; 92%) completed both sessions in  $\leq 20$  days. At 30 days, 28 out of 31 participants (90%) had completed at least one session".

**1b-v) CONCLUSIONS/DISCUSSION in abstract for negative trials**

Conclusions/Discussions in abstract for negative trials: Discuss the primary outcome - if the trial is negative (primary outcome not changed), and the intervention was not used, discuss whether negative results are attributable to lack of uptake and discuss reasons. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential**Does your paper address subitem 1b-v?**

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "The implementation of a web-based e-learning platform for brief MI is both feasible and acceptable among cardiovascular care nurses".

**INTRODUCTION****2a) In INTRODUCTION: Scientific background and explanation of rationale**

**2a-i) Problem and the type of system/solution**

Describe the problem and the type of system/solution that is object of the study: intended as stand-alone intervention vs. incorporated in broader health care program? Intended for a particular patient population? Goals of the intervention, e.g., being more cost-effective to other interventions, replace or complement other solutions? (Note: Details about the intervention are provided in "Methods" under 5)

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential

**Does your paper address subitem 2a-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"While brief MI is promising, healthcare practitioners often lack time, basic training, or continuous education opportunities to update their knowledge and skills regarding increasing patients' motivation for change [18]."

"Therefore, in this study, we developed and pilot tested a web-based e-learning platform for brief MI that included videos in which nurses could observe brief MI in a real-life clinical context".

**2a-ii) Scientific background, rationale: What is known about the (type of) system**

Scientific background, rationale: What is known about the (type of) system that is the object of the study (be sure to discuss the use of similar systems for other conditions/diagnoses, if appropriate), motivation for the study, i.e. what are the reasons for and what is the context for this specific study, from which stakeholder viewpoint is the study performed, potential impact of findings [2]. Briefly justify the choice of the comparator.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential

**Does your paper address subitem 2a-ii? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Video-based e-learning showcasing clinical simulation has attracted strong interest from clinicians and researchers [23, 30-32]. Videos can facilitate knowledge acquisition and clinical skill development through pedagogical material that matches the reality of clinical settings [31, 33-35]."

"However, little is known about the educational effectiveness of brief MI training via a web-based e-learning platform".



## 2b) In INTRODUCTION: Specific objectives or hypotheses

### Does your paper address CONSORT subitem 2b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

the readability and acceptability of a web-based e-learning platform for brief MI (MOTIV@CŒUR) for cardiovascular nurses. The primary endpoint of the pilot study was the proportion of nurses who had completed both training sessions 20 days after the initiation of the training session.

The secondary objective was to assess the preliminary effect of MOTIV@CŒUR on nurses' perceived skill in, and self-reported clinical use of, brief MI".

## METHODS

### 3a) Description of trial design (such as parallel, factorial) including allocation ratio

#### Does your paper address CONSORT subitem 3a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "A single-group, pre-post pilot study involving cardiovascular nurses was conducted to assess MOTIV@CŒUR".

### 3b) Important changes to methods after trial commencement (such as eligibility criteria), with reasons

#### Does your paper address CONSORT subitem 3b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "No content or methodological modifications were made after study commencement".

### 3b-i) Bug fixes, Downtimes, Content Changes

Bug fixes, Downtimes, Content Changes: ehealth systems are often dynamic systems. A description of changes to methods therefore also includes important changes made on the intervention or comparator during the trial (e.g., major bug fixes or changes in the functionality or content) (5-iii) and other "unexpected events" that may have influenced study design such as staff changes, system failures/downtimes, etc. [2].

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☒ essential

### Does your paper address subitem 3b-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "A pre-test of the intervention was conducted with 5 nurses who were not part of the sample of nurses included in the present study. Adjustments were made to MOTIV@CŒUR content according to the nurses' comments prior to recruitment of the present study sample".

## 4a) Eligibility criteria for participants

### Does your paper address CONSORT subitem 4a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "To be included in the study, nurses had to hold a temporary replacement or permanent position at the CCU and be at ease with basic computer use. The exclusion criteria was to have completed MI training in the preceding year".

**4a-i) Computer / Internet literacy**

Computer / Internet literacy is often an implicit "de facto" eligibility criterion - this should be explicitly clarified.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☒ essential

**Does your paper address subitem 4a-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "To be included in the study, nurses had to hold a temporary replacement or permanent position at the CCU and be at ease with basic computer use".

**4a-ii) Open vs. closed, web-based vs. face-to-face assessments:**

Open vs. closed, web-based vs. face-to-face assessments: Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic, and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment), i.e., to what degree got the study team to know the participant. In online-only trials, clarify if participants were quasi-anonymous and whether having multiple identities was possible or whether technical or logistical measures (e.g., cookies, email confirmation, phone calls) were used to detect/prevent these.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential

**Does your paper address subitem 4a-ii? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "Enrollment and follow up occurred between March and May 2016 (see Table 1). Nurses were recruited via individual face-to-face encounters at the CCU. After receiving an explanation regarding the study and providing written consent, participants completed a paper-based sociodemographic questionnaire".

**4a-iii) Information giving during recruitment**

Information given during recruitment. Specify how participants were briefed for recruitment and in the

informed consent procedures (e.g., publish the informed consent documentation as appendix, see also item X26), as this information may have an effect on user self-selection, user expectation and may also bias results.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential

#### Does your paper address subitem 4a-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "An individual identification number, username, and password were then provided to participants, to allow them to log into the e-learning platform throughout the study. They also received a training information sheet that explained MOTIV@CŒUR using screen captures and colorful textual content (see Multimedia Appendix 1)".

## 4b) Settings and locations where the data were collected

#### Does your paper address CONSORT subitem 4b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Feasibility indicators collected by the research team included the proportion of nurses enrolled in the eligible population, recruitment duration, and completion of outcome measures. Feasibility indicators were also extracted from the Moodle platform".

"Secondary outcomes included the acceptability of MOTIV@CŒUR according to cardiovascular nurses, the skills perceived in brief MI, and the self-reported clinical use of brief MI with coronary patients. These outcomes were self-assessed via online questionnaires".

#### 4b-i) Report if outcomes were (self-)assessed through online questionnaires

Clearly report if outcomes were (self-)assessed through online questionnaires (as common in web-based trials) or otherwise.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential

#### Does your paper address subitem 4b-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information

not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "Secondary outcomes included the acceptability of MOTIV@CŒUR according to cardiovascular nurses, the skills perceived in brief MI, and the self-reported clinical use of brief MI with coronary patients. These outcomes were self-assessed via online questionnaires".

#### 4b-ii) Report how institutional affiliations are displayed

Report how institutional affiliations are displayed to potential participants [on ehealth media], as affiliations with prestigious hospitals or universities may affect volunteer rates, use, and reactions with regards to an intervention. (Not a required item – describe only if this may bias results)

1 2 3 4 5

subitem not at all important ☐ ☐ ☒ ☐ ☐ essential

#### Does your paper address subitem 4b-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "The MOTIV@CŒUR homepage (see Figure 1) was designed to create an appealing first impression using visual material and dynamic components. The homepage also highlighted institutional affiliations".

## 5) The interventions for each group with sufficient details to allow replication, including how and when they were actually administered

#### 5-i) Mention names, credential, affiliations of the developers, sponsors, and owners

Mention names, credential, affiliations of the developers, sponsors, and owners [6] (if authors/evaluators are owners or developer of the software, this needs to be declared in a "Conflict of interest" section or mentioned elsewhere in the manuscript).

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential

**Does your paper address subitem 5-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, the names and logos of the consulting firm for the development of the web-based platform and affiliated research institutes were visible on the homepage.

"The MOTIV@CŒUR web-based platform was developed by an independent consulting firm in Montreal, Canada".

"Conflicts of Interest

MOTIV@CŒUR is owned by the authors of this study".

**5-ii) Describe the history/development process**

Describe the history/development process of the application and previous formative evaluations (e.g., focus groups, usability testing), as these will have an impact on adoption/use rates and help with interpreting results.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential

**Does your paper address subitem 5-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

computers, tablets, and smartphones. MOTIV@CŒUR is based on the open-source learning platform, Moodle™ 3.0 (Modular Object-oriented Dynamic Learning Environment). The MOTIV@CŒUR homepage (see Figure 1) was designed to create an appealing first impression using visual material and dynamic components". "A pre-test of the intervention was conducted with 5 nurses who were not part of the sample of nurses included in the present study. Adjustments were made to MOTIV@CŒUR content according to the nurses' comments prior to recruitment of the present study sample".

**5-iii) Revisions and updating**

Revisions and updating. Clearly mention the date and/or version number of the application/intervention (and comparator, if applicable) evaluated, or describe whether the intervention underwent major changes during the evaluation process, or whether the development and/or content was "frozen" during the trial. Describe dynamic components such as news feeds or changing content which may have an impact on the replicability of the intervention (for unexpected events see item 3b).

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential

**Does your paper address subitem 5-iii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to

indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, there were no modifications during the study.

#### 5-iv) Quality assurance methods

Provide information on quality assurance methods to ensure accuracy and quality of information provided [1], if applicable.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☒ essential

#### Does your paper address subitem 5-iv?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "The content of the brief MI on the web-based e-learning platform was developed by the project team, which included 3 MI experts and an experienced cardiology researcher who supervised the development of the intervention led by GF".

#### 5-v) Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used

Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used. Replicability (i.e., other researchers should in principle be able to replicate the study) is a hallmark of scientific reporting.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential

#### Does your paper address subitem 5-v?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Selected screenshots are included in the manuscript as a Multimedia appendix.

### 5-vi) Digital preservation

Digital preservation: Provide the URL of the application, but as the intervention is likely to change or disappear over the course of the years; also make sure the intervention is archived (Internet Archive, [webcitation.org](http://webcitation.org), and/or publishing the source code or screenshots/videos alongside the article). As pages behind login screens cannot be archived, consider creating demo pages which are accessible without login.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential

### Does your paper address subitem 5-vi?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "MOTIV@CŒUR could be accessed at a fixed URL. The availability of the website was restricted to the study period".

A complete set of screenshots can be obtained from the first author (GF).

### 5-vii) Access

Access: Describe how participants accessed the application, in what setting/context, if they had to pay (or were paid) or not, whether they had to be a member of specific group. If known, describe how participants obtained "access to the platform and Internet" [1]. To ensure access for editors/reviewers/readers, consider to provide a "backdoor" login account or demo mode for reviewers/readers to explore the application (also important for archiving purposes, see vi).

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☒ essential

### Does your paper address subitem 5-vii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study



Yes, "Participants could log into the e-learning platform from home or work via the device of their choice using their personal login credentials provided during the face-to-face encounter at the CCU. We suggested that participants change their passwords after the initial login. Passwords could also be reset via their personal email accounts if forgotten".

### 5-viii) Mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework

Describe mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework [6] used to design them (instructional strategy [1], behaviour change techniques, persuasive features, etc., see e.g., [7, 8] for terminology). This includes an in-depth description of the content (including where it is coming from and who developed it) [1], whether [and how] it is tailored to individual circumstances and allows users to track their progress and receive feedback" [6]. This also includes a description of communication delivery channels and – if computer-mediated communication is a component – whether communication was synchronous or asynchronous [6]. It also includes information on presentation strategies [1], including page design principles, average amount of text on pages, presence of hyperlinks to other resources, etc. [1].

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☒ essential

### Does your paper address subitem 5-viii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

a video containing a theoretical introduction to brief MI. Each clinical case was then separated into 3 sections: 1) a textual presentation of the clinical case on the screen; 2) a video of brief MI, in which the CNP interacted with each patient; and 3) a video in which the CNP explained why each intervention was retained in response to the patient's motivation profile. Both sessions ended with a conclusion that reminded participants of the key concepts and provided them with tips for real-world use of brief MI".

### 5-ix) Describe use parameters

Describe use parameters (e.g., intended "doses" and optimal timing for use). Clarify what instructions or recommendations were given to the user, e.g., regarding timing, frequency, heaviness of use, if any, or was the intervention used ad libitum.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☒ essential

### Does your paper address subitem 5-ix?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

training at home with remote support (e.g., email or telephone). They were also encouraged to practice brief MI techniques observed in the video in their regular clinical practice, if appropriate.

Nurses were asked to complete the second MOTIV@CŒUR session either at home or at the hospital, 2 weeks subsequent to S1. There was no computer constraint limiting completion of S2 earlier or later than this. However, in the context of this study, participants had to complete both sessions within 1 month".

### 5-x) Clarify the level of human involvement

Clarify the level of human involvement (care providers or health professionals, also technical assistance) in the e-intervention or as co-intervention (detail number and expertise of professionals involved, if any, as well as "type of assistance offered, the timing and frequency of the support, how it is initiated, and the medium by which the assistance is delivered". It may be necessary to distinguish between the level of human involvement required for the trial, and the level of human involvement required for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☒ essential

### Does your paper address subitem 5-x?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "The intervention was completely asynchronous and web-based. The research team was available at all times, to provide technical support in person or via mail or telephone. Apart from the technical support provided when necessary (access to the website, login, and password), no other intervention, such as that involving information and content explanation regarding the brief MI, was offered".

### 5-xi) Report any prompts/reminders used

Report any prompts/reminders used: Clarify if there were prompts (letters, emails, phone calls, SMS) to use the application, what triggered them, frequency etc. It may be necessary to distinguish between the level of prompts/reminders required for the trial, and the level of prompts/reminders for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☒ essential

### Does your paper address subitem 5-xi? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "A maximum of 3 email or telephone reminders were planned at 3-day intervals for each of the 3 time points in the study (S1, S2, and outcome measures). A maximum of 9 emails or telephone reminders could be sent throughout the study period".

### 5-xii) Describe any co-interventions (incl. training/support)

Describe any co-interventions (incl. training/support): Clearly state any interventions that are provided in addition to the targeted eHealth intervention, as ehealth intervention may not be designed as stand-alone intervention. This includes training sessions and support [1]. It may be necessary to distinguish between the level of training required for the trial, and the level of training for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☒ essential

### Does your paper address subitem 5-xii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "Apart from the technical support provided when necessary (access to the website, login, and password), no other intervention, such as that involving information and content explanation regarding the brief MI, was offered".

## 6a) Completely defined pre-specified primary and secondary outcome measures, including how and when they were assessed

### Does your paper address CONSORT subitem 6a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Paradis [38] to assess posttraining acceptability of the web-based e-learning platform for brief MI".

"We adapted the INOVA tool developed by Paradis [38] in order to assess perceived skill in brief MI and the self-reported clinical use of brief MI prior and subsequent to training".

**6a-i) Online questionnaires: describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed**

If outcomes were obtained through online questionnaires, describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed [9].

1 2 3 4 5

subitem not at all important ☐ ☐ ☒ ☐ ☐ essential

**Does your paper address subitem 6a-i?**

Copy and paste relevant sections from manuscript text

Limited, to our knowledge study measures were not specifically validated for online use.

**6a-ii) Describe whether and how "use" (including intensity of use/dosage) was defined/measured/monitored**

Describe whether and how "use" (including intensity of use/dosage) was defined/measured/monitored (logins, logfile analysis, etc.). Use/adoption metrics are important process outcomes that should be reported in any ehealth trial.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential

**Does your paper address subitem 6a-ii?**

Copy and paste relevant sections from manuscript text

engagement via the site or absence from the site. Since an inappropriately long latency period between the user's actions would overestimate the time spent on each session, we defined a maximum latency period. This period of latency was fixed at 15 minutes. When a latency period exceeded this threshold, it was deducted from the time spent on MOTIV@CCEUR. Feasibility indicators extracted from the Moodle platform for each user included the duration of each session, the number of sessions completed, and the time elapsed between the completion of S1 and S2".

### 6a-iii) Describe whether, how, and when qualitative feedback from participants was obtained

Describe whether, how, and when qualitative feedback from participants was obtained (e.g., through emails, feedback forms, interviews, focus groups).

1 2 3 4 5

subitem not at all important ☐ ☐ ☒ ☐ ☐ essential

### Does your paper address subitem 6a-iii?

Copy and paste relevant sections from manuscript text

Yes, "Nurses could also provide suggestions and comments regarding MOTIV@CCEUR at the end of the acceptability questionnaire".

## 6b) Any changes to trial outcomes after the trial commenced, with reasons

### Does your paper address CONSORT subitem 6b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "No content or methodological modifications were made after study commencement".

## 7a) How sample size was determined

NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed

### 7a-i) Describe whether and how expected attrition was taken into account when calculating the sample size

Describe whether and how expected attrition was taken into account when calculating the sample size.

1 2 3 4 5

subitem not at all important ☐ ☐ ☒ ☐ ☐ essential

#### Does your paper address subitem 7a-i?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "For the primary feasibility outcome, the success level was determined as the completion of both training sessions by 80% of participants within a 20-day period. Expecting this rate to be 80%, a sample of 30 participants was targeted to allow estimation with an accuracy of  $\pm 14.3\%$  and a confidence level of 95%".

### 7b) When applicable, explanation of any interim analyses and stopping guidelines

#### Does your paper address CONSORT subitem 7b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

### 8a) Method used to generate the random allocation sequence

NPT: When applicable, how care providers were allocated to each trial group

**Does your paper address CONSORT subitem 8a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

## 8b) Type of randomisation; details of any restriction (such as blocking and block size)

**Does your paper address CONSORT subitem 8b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

## 9) Mechanism used to implement the random allocation sequence (such as sequentially numbered containers), describing any steps taken to conceal the sequence until interventions were assigned

**Does your paper address CONSORT subitem 9? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

## 10) Who generated the random allocation sequence, who enrolled participants, and who assigned participants to interventions

### Does your paper address CONSORT subitem 10? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "A convenience sample of nurses employed at the CCU was recruited by the first author of this study".

## 11a) If done, who was blinded after assignment to interventions (for example, participants, care providers, those assessing outcomes) and how

NPT: Whether or not administering co-interventions were blinded to group assignment

### 11a-i) Specify who was blinded, and who wasn't

Specify who was blinded, and who wasn't. Usually, in web-based trials it is not possible to blind the participants [1, 3] (this should be clearly acknowledged), but it may be possible to blind outcome assessors, those doing data analysis or those administering co-interventions (if any).

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

### Does your paper address subitem 11a-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information



not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

### 11a-ii) Discuss e.g., whether participants knew which intervention was the “intervention of interest” and which one was the “comparator”

Informed consent procedures (4a-ii) can create biases and certain expectations - discuss e.g., whether participants knew which intervention was the “intervention of interest” and which one was the “comparator”.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

### Does your paper address subitem 11a-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

## 11b) If relevant, description of the similarity of interventions

(this item is usually not relevant for ehealth trials as it refers to similarity of a placebo or sham intervention to a active medication/intervention)

### Does your paper address CONSORT subitem 11b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

## 12a) Statistical methods used to compare groups for primary and secondary outcomes

NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed

### Does your paper address CONSORT subitem 12a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, changes in pre- and posttraining measures for perceived stress in brief MI and self-reported clinical use of brief MI were compared using Student's t test for paired samples, with a 2-sided significance level of 0.05. We also performed a Student's t test for paired samples with the same parameters for the 4 subdimension scores for pre- and posttraining conviction and confidence. All statistical tests were two-sided and performed at a significance level of 0.05 using SPSS version 23.0. Basic assumptions, such as normal distribution, were verified prior to analyses".

### 12a-i) Imputation techniques to deal with attrition / missing values

Imputation techniques to deal with attrition / missing values: Not all participants will use the intervention/comparator as intended and attrition is typically high in ehealth trials. Specify how participants who did not use the application or dropped out from the trial were treated in the statistical analysis (a complete case analysis is strongly discouraged, and simple imputation techniques such as LOCF may also be problematic [4]).

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

### Does your paper address subitem 12a-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

## 12b) Methods for additional analyses, such as subgroup analyses and adjusted analyses

### Does your paper address CONSORT subitem 12b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

## X26) REB/IRB Approval and Ethical Considerations [recommended as subheading under "Methods"] (not a CONSORT item)

### X26-i) Comment on ethics committee approval

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☒ essential

### Does your paper address subitem X26-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "The pilot study was registered at Controlled Trials (#ISRCTN16510888) and approved by the Scientific and Ethics Committee of the Montreal Heart Institute Research Center (Reference number: 2015-1948)".

**x26-ii) Outline informed consent procedures**

Outline informed consent procedures e.g., if consent was obtained offline or online (how? Checkbox, etc.), and what information was provided (see 4a-ii). See [6] for some items to be included in informed consent documents.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☒ essential

**Does your paper address subitem X26-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "Nurses were recruited via individual face-to-face encounters at the CCU. After receiving an explanation regarding the study and providing written consent, participants completed a paper-based sociodemographic questionnaire".

**X26-iii) Safety and security procedures**

Safety and security procedures, incl. privacy considerations, and any steps taken to reduce the likelihood or detection of harm (e.g., education and training, availability of a hotline)

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential

**Does your paper address subitem X26-iii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "An individual identification number, username, and password were then provided to participants, to allow them to log into the e-learning platform throughout the study". "We suggested that participants change their passwords after the initial login. Passwords could also be reset via their personal email accounts if forgotten".

## RESULTS

### 13a) For each group, the numbers of participants who were randomly assigned, received intended treatment, and were analysed for the primary outcome

NPT: The number of care providers or centers performing the intervention in each group and the number of patients treated by each care provider in each center

#### Does your paper address CONSORT subitem 13a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

### 13b) For each group, losses and exclusions after randomisation, together with reasons

#### Does your paper address CONSORT subitem 13b? (NOTE: Preferably, this is shown in a CONSORT flow diagram) \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

### 13b-i) Attrition diagram

Strongly recommended: An attrition diagram (e.g., proportion of participants still logging in or using the intervention/comparator in each group plotted over time, similar to a survival curve) or other figures or tables demonstrating usage/dose/engagement.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential

### Does your paper address subitem 13b-i?

Copy and paste relevant sections from the manuscript or cite the figure number if applicable (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, see study flowchart (Figure 4).

## 14a) Dates defining the periods of recruitment and follow-up

### Does your paper address CONSORT subitem 14a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "Enrollment and follow up occurred between March and May 2016 (see Table 1)".

**14a-i) Indicate if critical “secular events” fell into the study period**

Indicate if critical “secular events” fell into the study period, e.g., significant changes in Internet resources available or “changes in computer hardware or Internet delivery resources”

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

**Does your paper address subitem 14a-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

**14b) Why the trial ended or was stopped (early)****Does your paper address CONSORT subitem 14b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

**15) A table showing baseline demographic and clinical characteristics for each group**

NPT: When applicable, a description of care providers (case volume, qualification, expertise, etc.) and centers (volume) in each group

**Does your paper address CONSORT subitem 15? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, see table 2.

### 15-i) Report demographics associated with digital divide issues

In ehealth trials it is particularly important to report demographics associated with digital divide issues, such as age, education, gender, social-economic status, computer/Internet/ehealth literacy of the participants, if known.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential

### Does your paper address subitem 15-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "Most participants were women, and their mean age was  $37 \pm 9$  years (see Table 2). The majority had completed university-level education and worked full-time as bedside nurses. The duration of participants' experience as a critical cardiovascular care nurses ranged from 1 month to 37 years, with a mean of  $11 \pm 10$  years. Nurses were almost evenly distributed across all work shifts, with 5 working rotating shifts. More than three-quarters of participants had previously completed online training, but none had undertaken MI in the preceding year".

## 16) For each group, number of participants (denominator) included in each analysis and whether the analysis was by original assigned groups

### 16-i) Report multiple "denominators" and provide definitions

Report multiple "denominators" and provide definitions: Report N's (and effect sizes) "across a range of study participation [and use] thresholds" [1], e.g., N exposed, N consented, N used more than x times, N used more than y weeks, N participants "used" the intervention/comparator at specific pre-defined time points of interest (in absolute and relative numbers per group). Always clearly define "use" of the intervention.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential



**Does your paper address subitem 16-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

**16-ii) Primary analysis should be intent-to-treat**

Primary analysis should be intent-to-treat, secondary analyses could include comparing only "users", with the appropriate caveats that this is no longer a randomized sample (see 18-i).

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

**Does your paper address subitem 16-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

**17a) For each primary and secondary outcome, results for each group, and the estimated effect size and its precision (such as 95% confidence interval)**

**Does your paper address CONSORT subitem 17a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

of S1 (77%, 95% confidence interval = 63%, 92%) completed both training sessions within the 20-day period following initiation of S1. This was close to the criterion for determining success (i.e., 80%). Two other nurses completed S2 within 26 and 30 days of S1. In addition, 28 and 26 participants had completed S1 and S2, respectively, at 30 days".

However, since this was a pilot study, there was not enough power for most results to be statistically significant in regard to skills and clinical use of brief MI.

### 17a-i) Presentation of process outcomes such as metrics of use and intensity of use

In addition to primary/secondary (clinical) outcomes, the presentation of process outcomes such as metrics of use and intensity of use (dose, exposure) and their operational definitions is critical. This does not only refer to metrics of attrition (13-b) (often a binary variable), but also to more continuous exposure metrics such as "average session length". These must be accompanied by a technical description how a metric like a "session" is defined (e.g., timeout after idle time) [1] (report under item 6a).

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☒ essential

### Does your paper address subitem 17a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "The results showed that 25 and 22 participants completed S1 and S2, respectively, during a single connection. The mean durations of S1 and S2 were  $31 \pm 6$  and  $19 \pm 6$  min, respectively. The mean total training duration was  $50 \pm 11$  min, which was consistent with the expected duration for MOTIV@CŒUR. The mean period between the completion of S1 and S2 was  $13.12 \pm 6.67$  days, which was close to the recommended time of 2 weeks.

## 17b) For binary outcomes, presentation of both absolute and relative effect sizes is recommended

### Does your paper address CONSORT subitem 17b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

## 18) Results of any other analyses performed, including subgroup analyses and adjusted analyses, distinguishing pre-specified from exploratory

### Does your paper address CONSORT subitem 18? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

### 18-i) Subgroup analysis of comparing only users

A subgroup analysis of comparing only users is not uncommon in ehealth trials, but if done, it must be stressed that this is a self-selected sample and no longer an unbiased sample from a randomized trial (see 16-iii).

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

### Does your paper address subitem 18-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

## 19) All important harms or unintended effects in each group

(for specific guidance see CONSORT for harms)

### Does your paper address CONSORT subitem 19? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

### 19-i) Include privacy breaches, technical problems

Include privacy breaches, technical problems. This does not only include physical "harm" to participants, but also incidents such as perceived or real privacy breaches [1], technical problems, and other unexpected/unintended incidents. "Unintended effects" also includes unintended positive effects [2].

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

### Does your paper address subitem 19-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

### 19-ii) Include qualitative feedback from participants or observations from staff/researchers

Include qualitative feedback from participants or observations from staff/researchers, if available, on strengths and shortcomings of the application, especially if they point to unintended/unexpected effects or uses. This includes (if available) reasons for why people did or did not use the application as intended by the developers.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

### Does your paper address subitem 19-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

## DISCUSSION

### 22) Interpretation consistent with results, balancing benefits and harms, and considering other relevant evidence

NPT: In addition, take into account the choice of the comparator, lack of or partial blinding, and unequal expertise of care providers or centers in each group

#### 22-i) Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use)

Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use).

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☒ essential**Does your paper address subitem 22-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "This study involved the design, implementation, and evaluation of a web-based e-learning platform for brief MI including role-modeling videos for nurses in cardiovascular care. We demonstrated the feasibility, acceptability, and preliminary efficacy of the intervention. In addition, the posttraining preliminary results regarding perceived skill and clinical use of brief MI were all more favorable than at the pretraining assessment. Overall, the feedback received from participants was positive

**22-ii) Highlight unanswered new questions, suggest future research**

Highlight unanswered new questions, suggest future research.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☒ essential**Does your paper address subitem 22-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "Future research should focus on assessing a more tailored and interactive web-based e-learning platforms for brief MI, since it was not the case in the present study and scientific literature supports efficacy of such features [29]. Relative to the tailoring of the platform, researchers should develop an algorithm taking into account each participant's knowledge and specific needs. For instance, some participants asked for more content, as others were satisfied by what was provided in MOTIV@CŒUR. By doing so, researchers could ensure every

## 20) Trial limitations, addressing sources of potential bias, imprecision, and, if relevant, multiplicity of analyses

**20-i) Typical limitations in ehealth trials**

Typical limitations in ehealth trials: Participants in ehealth trials are rarely blinded. Ehealth trials often look at a multiplicity of outcomes, increasing risk for a Type I error. Discuss biases due to non-use of the intervention/usability issues, biases through informed consent procedures, unexpected events.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☒ essential**Does your paper address subitem 20-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

determine whether sociodemographic variables increase acceptability scores and affect knowledge acquisition and clinical outcomes.

Not all participants enrolled in the study ultimately used MOTIV@CœUR for training in brief MI, as 3 individuals dropped out before beginning the training. However, the global participation rate in the study was superior to those was observed in similar studies. Indeed, 28 of the 31 participants (90%) used MOTIV@CœUR, and this proportion ranged from 82% to 89% in other studies [61-64]".

## 21) Generalisability (external validity, applicability) of the trial findings

NPT: External validity of the trial findings according to the intervention, comparators, patients, and care providers or centers involved in the trial

**21-i) Generalizability to other populations**

Generalizability to other populations: In particular, discuss generalizability to a general Internet population, outside of a RCT setting, and general patient population, including applicability of the study results for other organizations

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☒ ☐ essential**Does your paper address subitem 21-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "While our study included cardiovascular nurses, it is possible that other healthcare practitioners could benefit from the training".

**21-ii) Discuss if there were elements in the RCT that would be different in a routine application**

**setting**

Discuss if there were elements in the RCT that would be different in a routine application setting (e.g., prompts/reminders, more human involvement, training sessions or other co-interventions) and what impact the omission of these elements could have on use, adoption, or outcomes if the intervention is applied outside of a RCT setting.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☐ essential

**Does your paper address subitem 21-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable.

**OTHER INFORMATION****23) Registration number and name of trial registry****Does your paper address CONSORT subitem 23? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "Trial Registration: International Standard Randomized Controlled Trial Registry: ISRCTN16510888; <http://www.isrctn.com/ISRCTN16510888> (Archived by WebCite at <http://www.webcitation.org/6hsU142vZ>)".

**24) Where the full trial protocol can be accessed, if available****Does your paper address CONSORT subitem 24? \***

Cite a Multimedia Appendix, other reference, or copy and paste relevant sections from the manuscript



(include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "Trial Registration: International Standard Randomized Controlled Trial Registry: ISRCTN16510888; <http://www.isrctn.com/ISRCTN16510888> (Archived by WebCite at <http://www.webcitation.org/6hsU142vZ>)".

## 25) Sources of funding and other support (such as supply of drugs), role of funders

### Does your paper address CONSORT subitem 25? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "The authors would like to thank the Canadian Institutes for Health Research; Quebec Ministry of Higher Education, Research, Science and Technology; Montreal Heart Institute (MHI) Research Center and Foundation of the MHI; and the Faculty of Nursing at the University of Montreal for their financial support".

## X27) Conflicts of Interest (not a CONSORT item)

### X27-i) State the relation of the study team towards the system being evaluated

In addition to the usual declaration of interests (financial or otherwise), also state the relation of the study team towards the system being evaluated, i.e., state if the authors/evaluators are distinct from or identical with the developers/sponsors of the intervention.

1 2 3 4 5

subitem not at all important ☐ ☐ ☐ ☐ ☒ essential

### Does your paper address subitem X27-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, "Conflicts of Interest  
MOTIV@CŒUR is owned by the authors of this study".

## About the CONSORT EHEALTH checklist

**As a result of using this checklist, did you make changes in your manuscript? \***

- ☐ yes, major changes
- ☒ yes, minor changes
- ☐ no

**What were the most important changes you made as a result of using this checklist?**

Changes to the abstract to include more details on participant recruitment and intervention content.

**How much time did you spend on going through the checklist INCLUDING making changes in your manuscript \***

Approximately 2 hours.

**As a result of using this checklist, do you think your manuscript has improved? \***

- ☒ yes
- ☐ no
- ☐ Other:

**Would you like to become involved in the CONSORT EHEALTH group?**

This would involve for example becoming involved in participating in a workshop and writing an "Explanation and Elaboration" document

- ☒ yes
- ☐ no
- ☐ Other:

**Any other comments or questions on CONSORT EHEALTH****STOP - Save this form as PDF before you click submit**

To generate a record that you filled in this form, we recommend to generate a PDF of this page (on a Mac, simply select "print" and then select "print as PDF") before you submit it.

When you submit your (revised) paper to JMIR, please upload the PDF as supplementary file.

Don't worry if some text in the textboxes is cut off, as we still have the complete information in our database. Thank you!

**Final step: Click submit !**

Click submit so we have your answers in our database!

Submit

*Never submit passwords through Google Forms.*

Powered by

This content is neither created nor endorsed by Google.

[Report Abuse](#) - [Terms of Service](#) - [Additional Terms](#)